

Anesthesia for Internists

2024-2027

REFERENCES

1. Bayman EO, Dexter F, Laur JJ, Wachtel RE. National incidence of use of monitored anesthesia care. *Anesth Analg*. 2011;113:165-169.
2. A Report by the American Society of Anesthesiologists Task Force on Moderate Procedural Sedation and Analgesia, the American Association of Oral and Maxillofacial Surgeons, American College of Radiology, American Dental Association, American Society of Dentist Anesthesiologists, and Society of Interventional Radiology. *Anesthesiology*. 2018;128:437–479.
3. Christopherson R, Beattie C, Frank SM, et al. Perioperative morbidity in patients randomized to epidural or general anesthesia for lower extremity vascular surgery. *Anesthesiology*. 1993;79:422-434.
4. Yeager M, Glass D, Neff R, Brinck-Johsen T. Epidural anesthesia and analgesia in high-risk surgical patients. *Anesthesiology*. 1987;66:729-736.
5. Torpy JM, Lynn C, Golub RM. JAMA patient page. General anesthesia. *JAMA*. 2011;305:1050.
6. Torpy JM, Lynn C, Golub RM. JAMA patient page. Regional anesthesia. *JAMA*. 2011;306:781.
7. Bernardis CM. Epidural and spinal anesthesia. In: Cullen BF, Stoelting RK, Barash PG, eds. *Clinical Anesthesia*. 5th ed. Philadelphia, PA: Lippincott Williams & Wilkins; 2006.
8. Mulroy MF. Peripheral nerve blockade. In: Cullen BF, Stoelting RK, Barash PG, eds. *Clinical Anesthesia*. 5th ed. Philadelphia, PA: Lippincott Williams & Wilkins; 2006.
9. Hillier SC, Mazurek MS. Monitored anesthesia care. In: Cullen BF, Stoelting RK, Barash PG, eds. *Clinical Anesthesia*. 5th ed. Philadelphia, PA: Lippincott Williams & Wilkins; 2006.
10. White PF, Romero G. Nonopioid intravenous anesthesia. In: Cullen BF, Stoelting RK, Barash PG, eds. *Clinical Anesthesia*. 5th ed. Philadelphia, PA: Lippincott Williams & Wilkins; 2006.
11. Rapp SE, Egan KJ, Ross BK, et al. A multidimensional comparison of morphine and hydromorphone patient-controlled analgesia. *Anesth Analg*. 1996;82:1043-1048.
12. Coda BA. Opioids. In: Cullen BF, Stoelting RK, Barash PG, eds. *Clinical Anesthesia*. 5th ed. Philadelphia, PA: Lippincott Williams & Wilkins; 2006.
13. Donati F, Bevan DR. Neuromuscular blocking agents. In: Cullen BF, Stoelting RK, Barash PG, eds. *Clinical Anesthesia*. 5th ed. Philadelphia, PA: Lippincott Williams & Wilkins; 2006.
14. Ebert TJ. Inhalation anesthesia. In: Cullen BF, Stoelting RK, Barash PG, eds. *Clinical Anesthesia*. 5th ed. Philadelphia, PA: Lippincott Williams & Wilkins; 2006.
15. American Society of Anesthesiologists. ASA Physical Status Classification. Last amended December 13, 2020. Available at: <http://www.asahq.org/clinical/physicalstatus.htm>. Accessed November 7, 2011.

16. Lema MJ, ed. Ventilations: using the ASA Physical Status Classification may be risky business. ASA Newsletter. 2002;66:1, 24-25, 32. Available at: http://old.asahq.org/Newsletters/2002/9_02/vent_0902.htm. Accessed April 3, 2012.
17. Vacanti CJ, Van Houten RJ, Hill RC. A statistical analysis of the relationship of physical status to postoperative mortality in 68,388 cases. *Anesth Analg*. 1970;49:564-566.
18. Marx GF, Mateo CV, Orkin LR. Computer analysis of past anesthetic deaths. *Anesthesiology*. 1973;39:54-58.
19. Prause G, Ratzenhofer-Comenda B, Pierer G, et al. Can ASA grade or Goldman's cardiac risk index predict peri-operative mortality? A study of 16,227 patients. *Anaesthesia*. 1997;52:203-206.
20. Lacqua MJ, Evans JT. Cancelled elective surgery: an evaluation. *Am Surg*. 1994;60:809-811.
21. Apfelbaum JL, Caplan RA, Connis RT, et al. Practice guidelines for preoperative fasting and the use of pharmacologic agents to reduce the risk of pulmonary aspiration: application to healthy patients undergoing elective procedures. *Anesthesiology*. 2011;14:495-511.
22. Miller BR, Tharp JA, Issacs WB. Gastric residual volume in infants and children following a 3 hour fast. *J Clin Anesth*. 1990;2:301-305.
23. Hata TM, Moyers JR. Preoperative evaluation and management. In: Cullen BF, Stoelting RK, Barash PG, eds. *Clinical Anesthesia*. 5th ed. Philadelphia, PA: Lippincott Williams & Wilkins; 2006.
24. Goldman L, Caldera DL. Risks of general anesthesia and elective operation in the hypertensive patient. *Anesthesiology*. 1979;50:285-292.
25. Prys-Roberts C. Anaesthesia and hypertension. *Br J Anaesth*. 1984;56:711-724.
26. Fleisher LA, Beckman JA, Brown KA, et al. ACC/AHA 2007 Guidelines on Perioperative Cardiovascular Evaluation and Care for Noncardiac Surgery: Executive Summary. A Report of the American College of Cardiology/American Heart Association Task Force on Practice Guidelines (Writing Committee to Revise the 2002 Guidelines on Perioperative Cardiovascular Evaluation for Noncardiac Surgery). *Circulation*. 2007;116:1971-1996.
27. Practice Guidelines for Preoperative Fasting and the Use of Pharmacologic Agents to Reduce the Risk of Pulmonary Aspiration: Application to Healthy Patients Undergoing Elective Procedures: An Updated Report by the American Society of Anesthesiologists Task Force on Preoperative Fasting and the Use of Pharmacologic Agents to Reduce the Risk of Pulmonary Aspiration. *Anesthesiology*. 2017;126:376–393.
28. American Society of Anesthesiologists. Continuum of Depth of Sedation: Definition of General Anesthesia and Levels of Sedation/Analgesia. Last amended October 23, 2019. Available at: <https://www.asahq.org/standards-and-guidelines/continuum-of-depth-of-sedation-definition-of-general-anesthesia-and-levels-of-sedationanalgesia>
29. American Society of Anesthesiologists. Statement on Regional Anesthesia. Last amended October 25, 2017. Available at: <https://www.asahq.org/standards-and-guidelines/statement-on-regional-anesthesia>
30. American Society of Anesthesiologists. Distinguishing Monitored Anesthesia Care ("MAC") from Moderate Sedation/Analgesia (Conscious Sedation). Last amended October 17th, 2018. Available at:

<https://www.asahq.org/standards-and-guidelines/distinguishing-monitored-anesthesia-care-mac-from-moderate-sedationanalgesia-conscious-sedation>

31. American Society of Anesthesiologists. Position on Monitored Anesthesia Care. Last amended October 17th, 2018. Available at: <https://www.asahq.org/-/media/sites/asahq/files/public/resources/standards-guidelines/position-on-monitored-anesthesia-care.pdf>

32. Horlocker T, Vandermeulen, E, Kopp S, et al. Regional anesthesia in the patient receiving antithrombotic or thrombolytic therapy. American Society of Regional Anesthesia and Pain Medicine Evidence-Based Guidelines (fourth edition). *Reg Anesth Pain Med.* 2018;43:263-309.